
# AeroPilates®

LESS STRESS | MORE HEART

## **PRECISION SERIES REFORMER**610

# **Owner's Manual**



**Product May Vary Slightly From Pictured.** 

**CAUTION:** 

Weight on this product should not exceed 350 lbs.

This Product is Distributed Exclusively by



4435 West Manufacturers Street, Springfield, MO 65803
Customer Care
1 (800) 375-7520
www.staminaproducts.com

## **MARNING**

Exercise can present a health risk. Consult a physician before beginning any exercise program with this equipment. If you feel faint or dizzy, immediately discontinue use of this equipment. Serious bodily injury can occur if this equipment is not assembled and used correctly. Serious bodily injury can also occur if all instructions are not followed. Keep others and pets away from equipment when in use. Always make sure all bolts and nuts are securely tightened prior to each use. Follow all safety instructions in this manual.

When calling for parts or service, please specify the following numbers:

Model#: 55-5610A

S/N:						

United States and/or International patents apply and/or are pending. See www.staminaproducts.com for details.

STAMINA PRODUCTS
MADE IN CHINA

© 2025 Stamina Products, Inc. 2025, 08




# ACCESS YOUR ONLINE WORKOUT VIDEOS!

## **How to Access Your Videos**

- 1. Go to video.staminaproducts.com
- 2. Click REDEEM A CODE
- 3. Enter your product VIDEO CODE

Your **video code** is the model number + serial number. This info can be found on the serial decal.

\*EXAMPLE ONLY. **USE MODEL NUMBER + SERIAL NUMBER FROM THE DECAL ON YOUR PRODUCT.** 



15-033601JAN351450

**REDEEM** 

Digital product only. No physical DVD will be shipped.

#### TABLE OF CONTENTS

Safety Instructions 3	Maintenance	. 16
Before You Begin 5	Conditioning Guidelines	17
Equipment Warning, Caution & Notice Labels 6	Warm-Up and Cool-Down	18
Hardware Identification Chart 7	Warranty	19
Assembly Instructions 8	Product Parts Drawing	20
Operational Instructions 12	Parts List	21
Storage 16	Fax/Mail Ordering Form	25

#### SAFETY INSTRUCTIONS

A	WAI	RNI	NG

Cancer and Reproductive Harm www.P65Warnings.ca.gov

**MARNING** Consult your physician before starting this or any exercise program. This is especially important if you are over the age of 35, have never exercised before, are pregnant, or suffer from any health problem. Failure to follow all warnings and instructions could result in serious injury or death.

A WARNING The Bungee Cord(36) contain natural rubber latex which may cause allergic reactions.

A WARNING To reduce the risk of serious injury, read the following Safety Instructions before using the AeroPilates® Precision Series Reformer 610.

- 1. Save these instructions and ensure that other exercisers read this manual prior to using the AeroPilates® Precision Series Reformer 610 for the first time.
- 2. Read all warnings and cautions posted on the AeroPilates® Precision Series Reformer 610.
- 3. The AeroPilates® Precision Series Reformer 610 should only be used after a thorough review of the Owner's Manual. Make sure that it is properly assembled and tightened before use.
- 4. We recommend that two people be available for assembly of this product.
- 5. When exercising on this product, do not exercise at an intensity that causes the product itself to move. This could result in damage to your joints and to the product.
- 6. Keep children away from the AeroPilates® Precision Series Reformer 610. Do not allow children to use or play on the AeroPilates® Precision Series Reformer 610. Keep children and pets away from the AeroPilates® Precision Series Reformer 610 when it is in use.
- 7. It is recommended that you place this exercise equipment on an equipment mat.
- 8. Set up and operate the AeroPilates® Precision Series Reformer 610 on a solid level surface. Do not position the AeroPilates® Precision Series Reformer 610 on loose rugs or uneven surfaces.
- 9. Make sure that adequate space is available for access to and around the AeroPilates® Precision Series Reformer 610.
- 10. Before using, inspect the AeroPilates® Precision Series Reformer 610 for worn or loose components, and tighten or replace any worn or loose components prior to use.
- 11. When folding or unfolding the AeroPilates® Precision Series Reformer 610, keep all children away from the AeroPilates® Precision Series Reformer 610 and make sure your hands are clear of any folding or pinch point.
- 12. Consult a physician prior to commencing an exercise program and follow his/her recommendations in developing your fitness program. If at any time during exercise you feel faint, dizzy, or experience pain, stop and consult your physician.
- 13. Always choose the workout which best fits your physical strength and flexibility level. Know your limits and train within them. Always use common sense when exercising.
- 14. Do not wear loose or dangling clothing while using the AeroPilates® Precision Series Reformer 610.
- 15. Be careful to maintain your balance while using, mounting, dismounting, or assembling the AeroPilates® Precision Series Reformer 610. Loss of balance may result in a fall and bodily injury.
- 16. The AeroPilates® Precision Series Reformer 610 should not be used by persons weighing over 350 pounds.
- 17. The AeroPilates® Precision Series Reformer 610 should be used by only one person at a time.

# EXTEND YOUR PARTS WARRANTY TO 180 DAYS FROM THE DATE OF PURCHASE. REGISTER YOUR PRODUCT.



# NEED HELP? CONTACT US FIRST 1 (800) 375-7520

customer.care@staminaproducts.com

Hi! From all of us here at Stamina Products, thank you for your purchase. We know that you have big fitness goals in mind and we are here to help you along. Call us, email us, or send us a message on Facebook. Be sure to contact us if you have any questions on your new product. We look forward to hearing from you!

With your body in mind,

Stamina Customer Care

To enact your extended warranty and to help us better serve you, please **go online** and register your new product.

# register.staminaproducts.com

It is quick and easy to register online, but if you're a little old school or just need a reason to raise that little flag on your mailbox, fill out the info on the last page of this manual and mail it in.



customer.care@staminaproducts.com www.staminaproducts.com



1 (800) 375-7520



**FAX** (417) 889-8064



MAII

Stamina Products, Inc. ATTN: Customer Care 4435 West Manufacturers Street, Springfield, MO 65803

#### **BEFORE YOU BEGIN**

Thank you for choosing the **AeroPilates® Precision Series Reformer 610.** We take great pride in this quality product and hope it will provide many hours of quality exercise to make you feel better, look better, and enjoy life to its fullest.

It's a proven fact that a regular exercise program can improve your physical and mental health. Too often, our busy lifestyles limit our time and opportunity to exercise. The **AeroPilates® Precision Series Reformer 610** provides a convenient and simple method to begin your journey of getting your body in shape and achieving a happier and healthier lifestyle.

Before reading further, please review the drawing below and familiarize yourself with the parts that are labeled. Locate the serial decal on the product and write the serial number on the cover of the manual in the space provided. See the next page for an image of the serial decal. Model number and serial number are required when


calling for assistance.

Read this manual carefully before using the AeroPilates® Precision Series Reformer 610.

Providing you with a quality product is Stamina's top priority. However, sometimes there could be a missing or incorrectly sized part. If you have any questions or problems with the parts included with your **AeroPilates® Precision Series Reformer 610**, please do not return the product. Contact us FIRST!

If a part is missing or defective, please contact Customer Care for assistance. Call us toll free at 1-800-375-7520 (in the U.S.) or live chat on staminaproducts.com. Our Customer Care Staff is available to assist you from 7:30 A.M. to 5:00 P.M. (Central Time) Monday through Thursday and 8:00 A.M. to 3:00 P.M. (Central Time) on Friday.

Be sure to have the name and model number of the product available when you contact us.



THE FOLLOWING TOOLS ARE INCLUDED FOR ASSEMBLY:



#### EQUIPMENT WARNING, CAUTION & NOTICE LABELS

This chart is provided to help identify the warning, caution, and notice labels on the **AeroPilates® Precision Series Reformer 610.** Please take a moment to familiarize yourself with all of the warning, caution, and notice labels.

#### **CAUTION LABEL(57)**

# **ACAUTION**

For consumer use only. Failure to follow all warnings and instructions could result in injury or property damage. Before assembling or using this product, read and follow the Owner's Manual and all other warnings and instructions that accompany this product. Replace this caution label if damaged, illegible, or removed.

Keep others including children & pets away from equipment when in use.

Consult your physician before starting this or any exercise program. This is especially important if you are over the age of 35 or have any pre-existing health condition. Always make sure all nuts and bolts are securely tightened before using this product. This product should not be used by person weighing more than 250 lbs. unless otherwise stated in your Owner's Manual.


#### **SERIAL DECAL(58)**



To best serve you, our Customer Care Representatives will need your serial number. For quick access, write in your serial number on the cover of the manual.

#### HARDWARE IDENTIFICATION CHART

This chart is provided to help identify the hardware used in the assembly process. Place the washers or the ends of the bolts or screws on the circles to check for the correct diameter. Use the small scale to check the length of the bolts and screws.



After unpacking the unit, open the hardware bag and make sure that you have all the following items. Some hardware may be already attached to the part.

	Qty		
	71	Bolt, Button Head (M5 x 0.8 x 15mm)	2
	77	Bolt, Button Head (M8 x 1.25 x 15mm)	20
	84	Washer (M5)	2
	86	Washer (M8)	20

Place all parts from the box in a cleared area and position them on the floor in front of you. Remove all packing materials from your area and place them back into the box. Do not dispose of the packing materials until assembly is completed. Read each step carefully before beginning. If you are missing a part, please go to staminaproducts.com under the Customer Care section and order the part needed, e-mail us at customer.care@staminaproducts.com, or call us toll free at 1-800-375-7520 (in the U.S.). Our Customer Care Staff is available to assist you from 7:30 A.M. to 5:00 P.M. (Central Time) Monday through Thursday and 8:00 A.M. to 3:00 P.M. (Central Time) on Friday.

Some product parts are fit tested at the factory to ensure proper fit and alignment. Marks in the paint may be noticeable, but are not an indication of damage.

#### STEP 1

Remove your **AeroPilates® Precision Series Reformer 610** from its packaging, placing the product on its side. Unfold the **MAIN FRAME ASSEMBLY** half way as shown in the illustration.


#### STEP 2

Attach the FRONT LEG(1), the one with MOVING WHEELS(22), to the FRONT BRACE(4) with BUTTON HEAD BOLTS(M8x1.25x15mm)(77) and WASHERS(M8)(86).

#### STEP 3

Attach the REAR LEG(3) to the REAR BRACE(5) with BUTTON HEAD BOLTS(M8x1.25x15mm)(77) and WASHERS(M8)(86).

**A** CAUTION Keep hands clear of the hinge when folding and unfolding the unit.




#### STEP 4

Attach the MIDDLE LEG(2) to the MIDDLE BRACE(10) with BUTTON HEAD BOLTS(M8x1.25x15mm) (77) and WASHERS(M8)(86).

#### STEP 5

Unfold your AeroPilates® Precision Series Reformer 610 to a flat position by moving the FRONT BRACE ASSEMBLY(4) away from the REAR BRACE ASSEMBLY(5) in a counterclockwise position until fully extended. Lower the AeroPilates® Precision Series Reformer 610 so all six legs are flat on the floor. Refer to illustration A. Bolt FRONT RIGHT RAIL(7) and REAR RIGHT RAIL(9) together with BUTTON HEAD BOLT(M5x0.8x15mm)(71) and WASHER(M5)(84). Repeat for left side Rails (6) and (8).

**A** CAUTION Keep hands clear of the hinge when folding and unfolding the unit.




#### STEP 6

Insert the PULLEY RISERS(16) into the mounting holes in the REAR WOODEN PLATFORM(29) and REAR BRACE(5). Align one of the adjustment holes in the PULLEY RISERS(16) with the holes in the REAR BRACE(5) and secure with the LOCKING KNOBS(41).

#### STEP 7


Insert the FOAM PAD ASSEMBLIES(27) into the holes located on the PLATFORM CUSHION(23). Place the HAND/FOOT STRAPS(61) onto the FOAM PAD ASSEMBLIES(27) for storage.



#### STEP 8


Make sure that the holes in the FOOTBAR(32) are facing toward the end of the AeroPilates® Precision Series Reformer 610 as shown in the illustration. Insert the FOOTBAR(32) into the mounting holes located in the FRONT WOODEN PLATFORM(28) and FRONT BRACE(4). Insert the FOOTBAR(32) all the way to the bottom and lock it in place with the LOCKING KNOBS(41).

**NOTE:** You can choose to insert the **CARDIO REBOUNDER(34)** into the **FRONT BRACE(4)** and lock in position with the **LOCKING KNOBS(41)**. Refer to the inset drawing.




#### LOAD ADJUSTMENT

The AeroPilates® Precision Series Reformer 610 has four springs: two HIGH TENSION SPRINGS(55) identified with yellow bands and two LOW TENSION SPRINGS(56) identified with blue bands. The resistance of the PLATFORM(17) can be adjusted by attaching the springs to the EYEHOOKS(45). Springs are easily changed between exercises for an uninterrupted workout. The workout wall chart recommends how many and which springs to use for each exercise.




#### **HEADREST ADJUSTMENT**

The **HEADREST(24)** on the **PLATFORM(17)** can be positioned at three different angles, 0°, 14°, and 20°. Simply pivot the **ANGLE ADJUSTER(26)** underneath the **HEADREST(24)**.




#### ROPE LENGTH ADJUSTMENT

The ROPE(62) feeds through the PULLEY SET(51), Loop A and Loop B, then the ball end is attached on the hook on the underside of the top edge of the PLATFORM(17). You can adjust the length between the PULLEY SET(51) and the HAND/FOOT STRAP(61). Pull the ROPE(62) from the gap between Loop A and Loop B and hang the ROPE(62) onto one of the three hooks.



If more length is needed, unhook the ball end of the ROPE(62) from the hook. The ball will stop at Loop B, making this rope 8 inches longer. You can still pull the ROPE(62) from the gap between Loop A and Loop B and hang the ROPE(62) onto one of the three hooks to adjust the length.



#### **CUSTOMIZING ROPE LENGTH**

Ideal rope length will vary depending on your height and limb length. To determine your ideal rope length, begin by placing the hand/foot straps over the shoulder rests as shown below. Adjust the ropes so they are taut. For complete rope length adjustment instructions, see additional Rope Length Adjustment instructions in this Owner's Manual.




Next, lie on the reformer with your hands in the straps with shoulders against the shoulder rests. Reach your hands toward the ceiling until they are directly over the back edge of the reformer platform as shown below. In this position, the reformer platform should be at rest with no tension on the ropes. If there is still tension on the ropes in this position, lengthen the ropes. If you lose tension before reaching the arm position shown below, shorten the ropes.



#### **PULLEY HEIGHT ADJUSTMENT**

#### **Standard Setting- the top setting**


The standard height setting for the reformer pulleys is the top setting. At the top setting, the pull of the ropes provides the most support and feedback for the body. Place your pulleys at the top setting to most easily achieve proper form and to engage the core muscles.



#### **Variable settings-lower settings**

You can add variety to your routine by using different pulley settings. The lower you set the pulleys, the less guidance and support you receive from the ropes. By providing less guidance and support, the lower settings further challenge strength and coordination.

There are four adjustment holes in the **PULLEY RISERS(16)**. Remove the **LOCKING KNOBS(41)**. Adjust the **PULLEY RISERS(16)** up or down and lock in desired position with the **LOCKING KNOBS(41)**.



#### **STORAGE**

- 1. To store the AeroPilates® Precision Series Reformer 610, simply keep it in a clean dry place.
- 2. It is recommended that two people be available to move the AeroPilates® Precision Series Reformer 610.
- 3. To move the AeroPilates® Precision Series Reformer 610: First, attach one of the TENSION SPRINGS(55, 56) to the EYEHOOK(45) to prevent the PLATFORM(17) from moving. Second, grasp the REAR BRACE(5) and lift the unit from the back. Third, roll the AeroPilates® Precision Series Reformer 610 on the MOVING WHEELS(22) that are attached to the FRONT LEG(1).

#### **MAINTENANCE**

The safety and integrity designed into the AeroPilates® Precision Series Reformer 610 can only be maintained when the AeroPilates® Precision Series Reformer 610 is regularly examined for damage and wear. Special attention should be given to the following:

- 1. It is the sole responsibility of the user/owner to ensure that regular maintenance is reformed.
- 2. Worn or damaged components must be replaced immediately or the **AeroPilates® Precision Series Reformer 610** removed from service until repair is made.
- 3. Verify that the **CAUTION LABEL(52)** is present and legible. Replace the **CAUTION LABEL(52)** if it is missing or damaged.
- 4. Verify that the ROPES(62) are properly installed on the PULLEY SETS(51).
- 5. Check the condition of the ROPES(62) and replace if they are frayed or worn.
- 6. Check the condition of the **TENSION SPRINGS(55, 56)**. Replace the springs that are damaged.
- 7. Check the **BUNGEE CORD(36)** on the **CARDIO REBOUNDER(34)** for wear. Replace the **CARDIO REBOUNDER(34)** if the **BUNGEE CORD(36)** is frayed or worn.
- 8. Check the PLASTIC SNAP HOOKS(37) on the ends of the BUNGEE CORD(36). Replace the CARDIO REBOUNDER(34) if PLASTIC SNAP HOOKS(37) are damaged or deformed.
- 9. Check the PULLEY SETS(51) for excessive wear. Replace worn PULLEY SETS(51).
- 10. Check the **HAND/FOOT STRAPS(61)** for damage. Replace damaged parts.
- 11. Check the FOAM SLEEVE(33) and FOAM PADS(27). Replace if damaged or worn.
- 12. Check the BUMPERS(40) for looseness or damage and replace any damaged parts.
- 13. Check the **PLATFORM CUSHION(23)** and replace if it is damaged or worn.
- 14. Check and clean the **ROLLERS(21)** and the rolling surfaces on the rails. Clean by wiping with a dry cloth.
- 15. Only Stamina Products supplied components should be used to maintain/repair the **AeroPilates® Precision Series Reformer 610.**
- 16. Keep your **AeroPilates® Precision Series Reformer 610** clean by wiping with an absorbent cloth after use.

#### **CONDITIONING GUIDELINES**

How you begin your exercise program depends on your physical condition. If you have been inactive for several years or are severely overweight, start slowly and increase your workout time gradually. Increase your workout intensity gradually by monitoring your heart rate while you exercise.


Remember to follow these essentials:

- Have your doctor review your training and diet programs.
- Begin your training program slowly with realistic goals that have been set by you and your physician.
- Warm up before you exercise and cool down after you work out.
- Take your pulse periodically during your workout and strive to stay within a range of 60% (lower intensity) to 90% (higher intensity) of your maximum heart rate zone. Start at the lower intensity, and build up to higher intensity as you become more aerobically fit.
- If you feel dizzy or lightheaded you should slow down or stop exercising.

Initially you may only be able to exercise within your target zone for a few minutes; however, your aerobic capacity will improve over the next six to eight weeks. It is important to pace yourself while you exercise so you don't tire too quickly.

To determine if you are working out at the correct intensity, use a heart rate monitor or use the table below. For effective aerobic exercise, your heart rate should be maintained at a level between 60% and 90% of your maximum heart rate. If just starting an exercise program, work out at the low end of your target heart rate zone. As your aerobic capacity improves, gradually increase the intensity of your workout by increasing your heart rate.

Measure your heart rate periodically during your workout by stopping the exercise but continuing to move your legs or walk around. Place two or three fingers on your wrist and take a six second heartbeat count. Multiply the results by ten to find your heart rate. For example, if your six second heartbeat count is 14, your heart rate is 140 beats per minute. A six second count is used because your heart rate will drop rapidly when you stop exercising. Adjust the intensity of your exercise until your heart rate is at the proper level.



Target Heart Rate Zone Estimated by Age\*

Age	Target Heart Rate Zone (55%-90% of Maximum Heart Rate)	Average Maximum Heart Rate 100%	
20 years	110-180 beats per minute	200 beats per minute	
25 years	107-175 beats per minute	195 beats per minute	
30 years	105-171 beats per minute	190 beats per minute	
35 years	102-166 beats per minute	185 beats per minute	
40 years	99-162 beats per minute	180 beats per minute	
45 years	97-157 beats per minute	175 beats per minute	
50 years	94-153 beats per minute	170 beats per minute	
55 years	91-148 beats per minute	165 beats per minute	
60 years	88-144 beats per minute	160 beats per minute	
65 years	85-139 beats per minute	155 beats per minute	
70 years	83-135 beats per minute	ats per minute 150 beats per minute	


<sup>\*</sup> For cardiorespiratory training benefits, the American College of Sports Medicine recommends working out within a heart rate range of 55% to 90% of maximum heart rate. To predict the maximum heart rate, the following formula was used: 220 - Age = predicted maximum heart rate

## WARM-UP and COOL-DOWN

**Warm-Up** The purpose of warming up is to prepare your body for exercise and to minimize injuries. Warm up for two to five minutes before strength training or aerobic exercising. Perform activities that raise your heart rate and warm the working muscles. Activities may include brisk walking, jogging, jumping jacks, jump rope, and running in place.


**Stretching** Stretching while your muscles are warm after a proper warm-up and again after your strength or aerobic training session is very important. Muscles stretch more easily at these times because of their elevated temperature, which greatly reduces the risk of injury. Stretches should be held for 15 to 30 seconds. Do not bounce.

#### **Suggested Stretching Exercises**



#### **Lower Body Stretch**

Place feet shoulder-width apart and lean forward. Keep this position for 30 seconds using the body as a natural weight to stretch the backs of the legs. DO NOT BOUNCE! When the pull on the back of the legs lessens, gradually try a lower position.




#### Floor Stretch

While sitting on the floor, open the legs as wide as possible. Stretch the upper body toward the knee on the right leg by using your arms to pull your chest to your thighs. Hold this stretch 10 to 30 seconds.

DO NOT BOUNCE!

Do this stretch 10 times.

Repeat the stretch with the left leg.



#### **Bent Torso Pulls**

While sitting on the floor, have legs apart, one leg straight and one knee bent. Pull the chest down to touch the thigh on the leg that is bent, and twist at the waist. Hold this position at least 10 seconds. Repeat 10 times on each side.



#### **Bent Over Leg Stretch**

Stand with feet shoulder-width apart and lean forward as illustrated. Using the arms, **gently** pull the upper body towards the right leg. Let the head hang down. DO NOT BOUNCE! Hold the position a minimum of 10 seconds. Repeat pulling the upper body to the left leg. Do this stretch several times slowly.

#### Remember to always check with your physician before starting any exercise program.

**Cool-Down** The purpose of cooling down is to return the body to its normal, or near normal, resting state at the end of each exercise session. A proper cool-down slowly lowers your heart rate and allows blood to return to the heart. Your cool-down should include the stretches listed above and should be completed after each strength training session.

MODEL 55-5610A

#### WARRANTY

Stamina Products, Inc. ("Stamina") warrants to the original purchaser that this product will be free from defects in materials and workmanship that arise under normal use, service, proper assembly and proper operation in accordance with product warnings/instructions for a period of 90 days on the parts and five years on the frame from the date of the original purchase from an authorized retailer. THIS WARRANTY SHALL NOT APPLY TO ANY PRODUCT WHICH HAS BEEN SUBJECT TO ABUSE, MISUSE, ALTERATION OF ANY KIND OR TO ANY DEFECT OR CHANGE CAUSED BY IMPROPER ASSEMBLY, REPAIR, REPLACEMENT, SUBSTITUTION OR USE WITH PARTS NOT PROVIDED BY STAMINA.

To implement this limited warranty, send a written notice stating your name, date, and place of purchase and a brief description of the defect along with your receipt to Stamina Products, Inc. 4435 West Manufacturers Street, Springfield, Missouri, USA, MO 65803, or email us at customer. care@staminaproducts.com, or call us at 1-800-375-7520. If the defect is covered under this limited warranty, you will be requested to return the product or part to us for free repair or replacement at our option.


NO ACTION FOR BREACH OF THIS LIMITED WARRANTY MAY BE COMMENCED MORE THAN ONE (1) YEAR AFTER THE DATE THE ALLEGED BREACH WAS OR SHOULD HAVE BEEN DISCOVERED. NO ACTION FOR BREACH OF ANY IMPLIED WARRANTY (INCLUDING MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE) MAY BE COMMENCED MORE THAN ONE (1) YEAR AFTER DELIVERY OF THE PRODUCT TO THE PURCHASER. These warranties are not transferable. IF ANY PART OF THE PRODUCT IS NOT IN COMPLIANCE WITH THIS LIMITED WARRANTY OR ANY IMPLIED WARRANTY, THE REMEDY OF REPAIR OR REPLACEMENT IS THE EXCLUSIVE REMEDY. If any claim is made under this limited warranty or any implied warranty, Stamina reserves the right to require the product to be returned for inspection, at the purchaser's expense, to Stamina's premises in Springfield, Missouri. Return of the enclosed warranty registration card is not required for warranty coverage, but is merely a way of establishing the date and place of purchase.

Stamina SHALL NOT BE LIABLE FOR THE LOSS OF USE OF ANY PRODUCT, LOSS OF TIME, INCONVENIENCE, COMMERCIAL LOSS OR ANY OTHER INDIRECT, CONSEQUENTIAL, SPECIAL OR INCIDENTAL DAMAGES DUE TO BREACH OF THE ABOVE WARRANTY OR ANY IMPLIED WARRANTY.

THIS LIMITED WARRANTY IS THE ONLY EXPRESS WARRANTY. NO ORAL OR WRITTEN INFORMATION GIVEN BY STAMINA, ITS AGENTS OR EMPLOYEES, SHALL CREATE A WARRANTY OR IN ANY WAY INCREASE THE SCOPE OF THIS WARRANTY. This warranty gives you specific legal rights, and you may also have other legal rights which vary from state to state. ANY OTHER RIGHT WHICH YOU MAY HAVE, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, IS LIMITED IN DURATION TO THE DURATION OF THIS WARRANTY.

The laws in some states affect the disclaimer or limitation of implied warranties and consequential and incidental damages. If any such law is found applicable, the foregoing disclaimers and limitations of and on implied warranties and consequential and incidental damages shall be deemed to be modified to the extent necessary to comply with applicable law.

### PRODUCT PARTS DRAWING



# PARTS LIST

PART#	PART NAME	QTY
1	Front Leg	1
2	Middle Leg	1
3	Rear Leg	1
4	Front Brace	1
5	Rear Brace	1
6	Front Left Rail	1
7	Front Right Rail	1
8	Rear Left Rail	1
9	Rear Right Rail	1
10	Middle Brace	1
11	Left Hinge	1
12	Right Hinge	1
13	End Support Plate	4
14	Front Middle Support Plate	2
15	Rear Middle Support Plate	2
16	Pulley Riser	2
17	Platform	1
18	Foam Pad Tube	2
19	Foam Pad Support Plate	2
20	Hinge Spacer (ø12.7 x ø8.3 x 22.5mm)	2
21	Roller	8
22	Moving Wheel	2
23	Platform Cushion	1
24	Headrest	1
25	Hinge	2
26	Angle Adjuster	1
27	Foam Pad	2
28	Front Wooden Platform	1
29	Rear Wooden Platform	1
30	Non-skid Pad	1
31	Workout Chart	1
32	Footbar	1
33	Foam Sleeve	1
34	Cardio Rebounder	1
35	Cardio Rebounder Mat	1
36	Bungee Cord	1
37	Plastic Snap Hook	2
38	Foot Stand	4
39	Middle Foot Stand	2
40	Bumper	4
41	Locking Knob	4
42	Bushing	6
43	Round Plug (ø25.4mm)	2
44	Square Plug (20 x 20mm)	2
45	Eyehook	4
46	Pulley Riser Eyehook	2
47	Pulley Bracket	2
48	U-shaped Connector	2
49	Connector Bolt (M5 x 0.8 x 22.2mm)	2
50	Connector Shaft	2

# PARTS LIST

PART#	PART NAME	QTY
51	Pulley	2
52	Pulley Bracket Cover	4
53	Pulley Spacer	2
54	Large Washer (ø8.7 x ø32 x 2mm)	2
55	High Tension Spring, Yellow Marked	2
56	Low Tension Spring, Blue Marked	2
57	Caution Label	1
58	Serial Decal	1
59	Rear Spring Strap	1
60	Front Spring Strap	1
61	Hand/Foot Strap	2
62	Rope	2
63	Ball	2
64	Screw, Round Head (M4 x 15mm)	11
65	Screw, Flat Head (M4 x 15mm)	8
66	Screw, Round Washer Head (M4 x 15mm)	5
67	Bolt, Flat Socket Head (M5x0.8x10mm, with threadlocker)	12
68 69	Bolt, Flat Socket Head (M5x0.8x15mm, with threadlocker)	12 2
70	Screw, Round Head (M5 x 0.8 x 22mm) Bolt, Button Head (M4 x 0.7 x 12mm)	2
70	Bolt, Button Head (M5 x 0.8 x 15mm)	2
72	Bolt, Button Head (M6 x 1 x 10mm)	8
73	Bolt, Button Head (M6 x 1 x 15mm, with threadlocker)	2
74	Bolt, Button Head (M6 x 1 x 20mm)	6
75	Bolt, Button Head (M6 x 1 x 25mm)  Bolt, Button Head (M6 x 1 x 45mm, with threadlocker)	2
76	Bolt, Button Head (M8 x 1.25 x 12mm, with threadlocker)	12
77	Bolt, Button Head (M8 x 1.25 x 15mm, with threadlocker)	28
78	Bolt, Button Head (M8 x 1.25 x 20mm, with threadlocker)	8
79	Bolt, Button Head (M8 x 1.25 x 35mm, with threadlocker)	6
80	Bolt, Button Head (M8 x 1.25 x 40mm)	2
81	Bolt, Button Head (M8 x 1.25 x 55mm)	4
82	Bolt, Flat Socket Head (M8 x 1.25 x 40mm)	4
83	Lock Washer (M8)	8
84	Washer (M5)	14
85	Washer (M6)	16
86	Washer (M8)	60
87	Nylock Nut (M4 x 0.7)	2
88	Nylock Nut (M5 x 0.8)	2
89	Nylock Nut (M6 x 1)	6
90	Nylock Nut (M8 x 1.25)	8
91	Allen Wrench(3mm)	1
92	Allen Wrench(6mm)	1
93	Manual	1
94	Round Plug (ø25.4mm, for tube 2mm thick)	2
95	Bolt, Button Head (M8 x 1.25 x 25mm, with threadlocker)	4
96	Roller Spacer (ø8.5 x ø12.7 x 5mm)	4

# **Accessories for the 55-5610**



Double Loop Straps and Bag



AeroPilates® Equipment Mat



Precision Series Plank Bars



AeroPilates® Box and Pole



AeroPilates Precision
Series Cadillac



AeroPilates® Head and Neck Support Pillow



AeroPilates® Magic Circle



To see all Aeropilates accessories, scan the QR code or visit staminaproducts.com/products/ aeropilates/accessories/



#### TO CONTACT CUSTOMER CARE

For your convenience, Stamina's customer care representatives can be reached by email at **customer.care@staminaproducts. com** or by phone at 1-800-375-7520 (in the U.S.). Our customer care representatives are available Monday through Thursday from 7:30 a.m. until 5:00 p.m., and Friday 8:00 a.m. until 3 p.m. Central Time.



CUSTOMER CARE
customer.care@staminaproducts.com
www.staminaproducts.com









STAMINA PRODUCTS, INC.
ATTN: Customer Care
4435 West Manufacturers Street, Springfield, MO 65803

Would you like to recieve email information or special offers from Stamina Products? Register at contact.staminaproducts.com

#### TO REGISTER YOUR PRODUCT

To enact your warranty, please register your product by going to register.staminaproducts.com. Please have your product model number (printed on the cover of this owner's manual) and the serial number (printed on the black and white sticker on your product) ready.

If you don't have internet access, you can call customer care at 1-800-375-7520, or fill out and mail the product registration form below to Stamina Products, Inc.; 4435 West Manufacturers Street, Springfield, MO 65803.

PRODUCT REGISTRATION FORM		a Products, Inc. rs Street, Springfield, MO 65803	
Model Number:		Serial Number:	
Product Name:			
Place Purchased:			
Date of Purchase:		Purchase Price:	
First Name:		Last Name:	
,		Zip Code:	
Email Address:		Phone #: ( )	
Would you like to receive email information	n or special offers from Stamina	Products?*YesNo *If yes, be sure your email address is i	included above.
\$	Detach and Mai	l or Fax the Form Above	<i></i>
TO ORDER PARTS			
	o not return the produc	staminaproducts.com and order those parts. If you ct. To order parts by mail, fill out the sheet bel	
		il or Fax the Form Below	·
PARTS ORDER FORM		a Products, Inc. ers Street, Springfield, MO 65803	

PARTS ORDER FORM	Stamina Products, Inc. 4435 West Manufacturers Street, Springfield, MO 65803	
Mr./Ms:		
Address:	Apt. #:	
City:	State: Zip	Code:
IMPOR	TANT : We require your phone number to process the order!	
Phone #: ( )		
Date of Purchase:		
Model #:		
Purchased From:		
IM	PORTANT: Before filling out the portion below, make sure you have the correct info Refer to the parts list to make sure you're ordering the right parts!	rmation.
PART#	DESCRIPTION	QUANTITY
EXAMPLE: 1	Rear Unit Assembly	1